

# Fire Hose and Couplings

## FIRE HOSES




Fire Hoses are being used for several different applications like municipal fire brigades, industrial fire brigades, shipboard, refineries, construction and mills.

The range of fire hoses is produced according to specifications, **EN 14540**, **BS 6391** and **NBR** standards. **we** have optimized the construction of these fire hoses in order to assure top rated performance, wide range of application, reliability and economy. Among their features are:

**Wide range:** fire hoses are available in several compounds: rubber, PU, PVC and EPDM

The fire hoses part code is composed of five groups of digits:



Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## NATURAL RUBBER FIRE HOSE 0.8MPa - 10.3000.---

### Natural rubber lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	natural rubber
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3000.040	1.1/2"	- 40	40,0	1.50	0.8	116	2.4	348
10.3000.050	2"	- 50	50,0	2.00	0.8	116	2.4	348
10.3000.063	2.1/2"	- 63	63,0	2.50	0.8	116	2.4	348
10.3000.075	3"	- 75	75,0	3.00	0.8	116	2.4	348
10.3000.100	4"	- 100	100,0	4.00	0.8	116	2.4	348

### Natural rubber lining fire hose - RED COVER - 10.3000.---R

<b>Inner lining:</b>	natural rubber
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3000.040R	1.1/2"	- 40	40,0	1.50	0.8	116	2.4	348
10.3000.050R	2"	- 50	50,0	2.00	0.8	116	2.4	348
10.3000.063R	2.1/2"	- 63	63,0	2.50	0.8	116	2.4	348
10.3000.075R	3"	- 75	75,0	3.00	0.8	116	2.4	348
10.3000.100R	4"	- 100	100,0	4.00	0.8	116	2.4	348

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## NATURAL RUBBER FIRE HOSE 1.0MPa - 10.3001.---

According to *EN 14540*

### Natural rubber lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	natural rubber
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3001.040	1.1/2"	- 40	40,0	1.50	1.0	145	3.0	435
10.3001.050	2"	- 50	50,0	2.00	1.0	145	3.0	435
10.3001.063	2.1/2"	- 63	63,0	2.50	1.0	145	3.0	435
10.3001.075	3"	- 75	75,0	3.00	1.0	145	3.0	435
10.3001.100	4"	- 100	100,0	4.00	1.0	145	3.0	435

### Natural rubber lining fire hose - RED COVER - 10.3001.---R

<b>Inner lining:</b>	natural rubber
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3001.040R	1.1/2"	- 40	40,0	1.50	1.0	145	3.0	435
10.3001.050R	2"	- 50	50,0	2.00	1.0	145	3.0	435
10.3001.063R	2.1/2"	- 63	63,0	2.50	1.0	145	3.0	435
10.3001.075R	3"	- 75	75,0	3.00	1.0	145	3.0	435
10.3001.100R	4"	- 100	100,0	4.00	1.0	145	3.0	435

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## NATURAL RUBBER FIRE HOSE 1.3MPa - 10.3002.---

According to *EN 14540*

### Natural rubber lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	natural rubber
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	commercial and industrial buildings
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3002.040	1.1/2"	- 40	40,0	1.50	1.3	190	3.9	570
10.3002.050	2"	- 50	50,0	2.00	1.3	190	3.9	570
10.3002.063	2.1/2"	- 63	63,0	2.50	1.3	190	3.9	570
10.3002.075	3"	- 75	75,0	3.00	1.3	190	3.9	570
10.3002.100	4"	- 100	100,0	4.00	1.3	190	3.9	570

### Natural rubber lining fire hose - RED COVER - 10.3002.---R

<b>Inner lining:</b>	natural rubber
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	commercial and industrial buildings
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3002.040R	1.1/2"	- 40	40,0	1.50	1.3	190	3.9	570
10.3002.050R	2"	- 50	50,0	2.00	1.3	190	3.9	570
10.3002.063R	2.1/2"	- 63	63,0	2.50	1.3	190	3.9	570
10.3002.075R	3"	- 75	75,0	3.00	1.3	190	3.9	570
10.3002.100R	4"	- 100	100,0	4.00	1.3	190	3.9	570

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## NATURAL RUBBER FIRE HOSE 1.6MPa - 10.3003.---

According to EN 14540

### Natural rubber lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	natural rubber
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twised, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	FIRE HOSE couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3003.040	1.1/2"	- 40	40,0	1.50	1.6	230	4.8	690
10.3003.050	2"	- 50	50,0	2.00	1.6	230	4.8	690
10.3003.063	2.1/2"	- 63	63,0	2.50	1.6	230	4.8	690

### Natural rubber lining fire hose - RED COVER - 10.3003.---R

<b>Inner lining:</b>	natural rubber
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twised, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	FIRE HOSE couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3003.040R	1.1/2"	- 40	40,0	1.50	1.6	230	4.8	690
10.3003.050R	2"	- 50	50,0	2.00	1.6	230	4.8	690
10.3003.063R	2.1/2"	- 63	63,0	2.50	1.6	230	4.8	690

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## NATURAL RUBBER FIRE HOSE 2.0MPa - 10.3004.---

According to *EN 14540*

### Natural rubber lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	natural rubber
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3004.040	1.1/2"	- 40	40,0	1.50	2.0	290	6.0	870
10.3004.050	2"	- 50	50,0	2.00	2.0	290	6.0	870
10.3004.063	2.1/2"	- 63	63,0	2.50	2.0	290	6.0	870

### Natural rubber lining fire hose - RED COVER - 10.3004.---R

<b>Inner lining:</b>	natural rubber
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3004.040R	1.1/2"	- 40	40,0	1.50	2.0	290	6.0	870
10.3004.050R	2"	- 50	50,0	2.00	2.0	290	6.0	870
10.3004.063R	2.1/2"	- 63	63,0	2.50	2.0	290	6.0	870

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## PU FIRE HOSE 1.0MPa - 10.3005.---

According to *EN 14540*

### PU lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	PU
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3005.040	1.1/2"	- 40	40,0	1.50	1.0	145	3.0	435
10.3005.050	2"	- 50	50,0	2.00	1.0	145	3.0	435
10.3005.063	2.1/2"	- 63	63,0	2.50	1.0	145	3.0	435
10.3005.075	3"	- 75	75,0	3.00	1.0	145	3.0	435
10.3005.100	4"	- 100	100,0	4.00	1.0	145	3.0	435

### PU lining fire hose - RED COVER - 10.3005.--- R

<b>Inner lining:</b>	PU
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3005.040R	1.1/2"	- 40	40,0	1.50	1.0	145	3.0	435
10.3005.050R	2"	- 50	50,0	2.00	1.0	145	3.0	435
10.3005.063R	2.1/2"	- 63	63,0	2.50	1.0	145	3.0	435
10.3005.075R	3"	- 75	75,0	3.00	1.0	145	3.0	435
10.3005.100R	4"	- 100	100,0	4.00	1.0	145	3.0	435

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## PU FIRE HOSE 1.3MPa - 10.3006.---

According to *EN 14540*

### PU lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	PU
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	commercial and industrial buildings
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3006.040	1.1/2"	- 40	40,0	1.50	1.3	190	3.9	570
10.3006.050	2"	- 50	50,0	2.00	1.3	190	3.9	570
10.3006.063	2.1/2"	- 63	63,0	2.50	1.3	190	3.9	570
10.3006.075	3"	- 75	75,0	3.00	1.3	190	3.9	570
10.3006.100	4"	- 100	100,0	4.00	1.3	190	3.9	570

### PU lining fire hose - RED COVER - 10.3006.---R

<b>Inner lining:</b>	PU
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	commercial and industrial buildings
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3006.040R	1.1/2"	- 40	40,0	1.50	1.3	190	3.9	570
10.3006.050R	2"	- 50	50,0	2.00	1.3	190	3.9	570
10.3006.063R	2.1/2"	- 63	63,0	2.50	1.3	190	3.9	570
10.3006.075R	3"	- 75	75,0	3.00	1.3	190	3.9	570
10.3006.100R	4"	- 100	100,0	4.00	1.3	190	3.9	570

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## PU FIRE HOSE 1.6MPa - 10.3007.---

According to EN 14540

### PU lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	PU
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twised, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	FIRE HOSE couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3007.040	1.1/2"	- 40	40,0	1.50	1.6	230	4.8	690
10.3007.050	2"	- 50	50,0	2.00	1.6	230	4.8	690
10.3007.063	2.1/2"	- 63	63,0	2.50	1.6	230	4.8	690

### PU lining fire hose - RED COVER - 10.3007.---R

<b>Inner lining:</b>	PU
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twised, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	FIRE HOSE couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3007.040R	1.1/2"	- 40	40,0	1.50	1.6	230	4.8	690
10.3007.050R	2"	- 50	50,0	2.00	1.6	230	4.8	690
10.3007.063R	2.1/2"	- 63	63,0	2.50	1.6	230	4.8	690

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## PU FIRE HOSE 2.0MPa - 10.3008.---

According to *EN 14540*

### PU lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	PU
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3008.040	1.1/2"	- 40	40,0	1.50	2.0	290	6.0	870
10.3008.050	2"	- 50	50,0	2.00	2.0	290	6.0	870
10.3008.063	2.1/2"	- 63	63,0	2.50	2.0	290	6.0	870

### PU lining fire hose - RED COVER - 10.3008.---R

<b>Inner lining:</b>	PU
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3008.040R	1.1/2"	- 40	40,0	1.50	2.0	290	6.0	870
10.3008.050R	2"	- 50	50,0	2.00	2.0	290	6.0	870
10.3008.063R	2.1/2"	- 63	63,0	2.50	2.0	290	6.0	870

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## PVC FIRE HOSE 0.8MPa - 10.3009.---

### PVC lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	PVC
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3009.040	1.1/2"	- 40	40,0	1.50	0.8	116	2.4	348
10.3009.050	2"	- 50	50,0	2.00	0.8	116	2.4	348
10.3009.063	2.1/2"	- 63	63,0	2.50	0.8	116	2.4	348
10.3009.075	3"	- 75	75,0	3.00	0.8	116	2.4	348
10.3009.100	4"	- 100	100,0	4.00	0.8	116	2.4	348

### PVC lining fire hose - RED COVER - 10.3009.---R

<b>Inner lining:</b>	PVC
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3009.040R	1.1/2"	- 40	40,0	1.50	0.8	116	2.4	348
10.3009.050R	2"	- 50	50,0	2.00	0.8	116	2.4	348
10.3009.063R	2.1/2"	- 63	63,0	2.50	0.8	116	2.4	348
10.3009.075R	3"	- 75	75,0	3.00	0.8	116	2.4	348
10.3009.100R	4"	- 100	100,0	4.00	0.8	116	2.4	348

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## PVC HOSE 1.0MPa - 10.3010.---

According to *EN 14540*

### PVC lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	PVC
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3010.040	1.1/2"	- 40	40,0	1.50	1.0	145	3.0	435
10.3010.050	2"	- 50	50,0	2.00	1.0	145	3.0	435
10.3010.063	2.1/2"	- 63	63,0	2.50	1.0	145	3.0	435
10.3010.075	3"	- 75	75,0	3.00	1.0	145	3.0	435
10.3010.100	4"	- 100	100,0	4.00	1.0	145	3.0	435

### PVC lining fire hose - RED COVER - 10.3010.---R

<b>Inner lining:</b>	PVC
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3010.040R	1.1/2"	- 40	40,0	1.50	1.0	145	3.0	435
10.3010.050R	2"	- 50	50,0	2.00	1.0	145	3.0	435
10.3010.063R	2.1/2"	- 63	63,0	2.50	1.0	145	3.0	435
10.3010.075R	3"	- 75	75,0	3.00	1.0	145	3.0	435
10.3010.100R	4"	- 100	100,0	4.00	1.0	145	3.0	435

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## PVC HOSE 1.3MPa - 10.3011.---

According to EN 14540

### PVC lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	PVC
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3011.040	1.1/2"	- 40	40,0	1.50	1.3	190	3.9	570
10.3011.050	2"	- 50	50,0	2.00	1.3	190	3.9	570
10.3011.063	2.1/2"	- 63	63,0	2.50	1.3	190	3.9	570
10.3011.075	3"	- 75	75,0	3.00	1.3	190	3.9	570
10.3011.100	4"	- 100	100,0	4.00	1.3	190	3.9	570

### PVC lining fire hose - RED COVER - 10.3011.---R

<b>Inner lining:</b>	PVC
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3011.040R	1.1/2"	- 40	40,0	1.50	1.3	190	3.9	570
10.3011.050R	2"	- 50	50,0	2.00	1.3	190	3.9	570
10.3011.063R	2.1/2"	- 63	63,0	2.50	1.3	190	3.9	570
10.3011.075R	3"	- 75	75,0	3.00	1.3	190	3.9	570
10.3011.100R	4"	- 100	100,0	4.00	1.3	190	3.9	570

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## EPDM FIRE HOSE 0.8MPa - 10.3012.---

### EPDM lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	EPDM
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3012.040	1.1/2"	- 40	40,0	1.50	0.8	116	2.4	348
10.3012.050	2"	- 50	50,0	2.00	0.8	116	2.4	348
10.3012.063	2.1/2"	- 63	63,0	2.50	0.8	116	2.4	348
10.3012.075	3"	- 75	75,0	3.00	0.8	116	2.4	348
10.3012.100	4"	- 100	100,0	4.00	0.8	116	2.4	348

### EPDM lining fire hose - RED COVER - 10.3012.---R

<b>Inner lining:</b>	EPDM
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3012.040R	1.1/2"	- 40	40,0	1.50	0.8	116	2.4	348
10.3012.050R	2"	- 50	50,0	2.00	0.8	116	2.4	348
10.3012.063R	2.1/2"	- 63	63,0	2.50	0.8	116	2.4	348
10.3012.075R	3"	- 75	75,0	3.00	0.8	116	2.4	348
10.3012.100R	4"	- 100	100,0	4.00	0.8	116	2.4	348

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## EPDM FIRE HOSE 1.0MPa - 10.3013.---

### EPDM lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	EPDM
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3013.040	1.1/2"	- 40	40,0	1.50	1.0	145	3.0	435
10.3013.050	2"	- 50	50,0	2.00	1.0	145	3.0	435
10.3013.063	2.1/2"	- 63	63,0	2.50	1.0	145	3.0	435
10.3013.075	3"	- 75	75,0	3.00	1.0	145	3.0	435
10.3013.100	4"	- 100	100,0	4.00	1.0	145	3.0	435

### EPDM lining fire hose - RED COVER - 10.3013.---R

<b>Inner lining:</b>	EPDM
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	residencial
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3013.040R	1.1/2"	- 40	40,0	1.50	1.0	145	3.0	435
10.3013.050R	2"	- 50	50,0	2.00	1.0	145	3.0	435
10.3013.063R	2.1/2"	- 63	63,0	2.50	1.0	145	3.0	435
10.3013.075R	3"	- 75	75,0	3.00	1.0	145	3.0	435
10.3013.100R	4"	- 100	100,0	4.00	1.0	145	3.0	435

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## EPDM FIRE HOSE 1.3MPa - 10.3014.---

### EPDM lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	EPDM
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	commercial and industrial buildings
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3014.040	1.1/2"	- 40	40,0	1.50	1.3	190	3.9	570
10.3014.050	2"	- 50	50,0	2.00	1.3	190	3.9	570
10.3014.063	2.1/2"	- 63	63,0	2.50	1.3	190	3.9	570
10.3014.075	3"	- 75	75,0	3.00	1.3	190	3.9	570
10.3014.100	4"	- 100	100,0	4.00	1.3	190	3.9	570

### EPDM lining fire hose - RED COVER - 10.3014.---R

<b>Inner lining:</b>	EPDM
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	commercial and industrial buildings
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3014.040R	1.1/2"	- 40	40,0	1.50	1.3	190	3.9	570
10.3014.050R	2"	- 50	50,0	2.00	1.3	190	3.9	570
10.3014.063R	2.1/2"	- 63	63,0	2.50	1.3	190	3.9	570
10.3014.075R	3"	- 75	75,0	3.00	1.3	190	3.9	570
10.3014.100R	4"	- 100	100,0	4.00	1.3	190	3.9	570

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## EPDM FIRE HOSE 1.6MPa - 10.3015.---

### EPDM lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	EPDM
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twised, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	FIRE HOSE couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3015.040	1.1/2"	- 40	40,0	1.50	1.6	230	4.8	690
10.3015.050	2"	- 50	50,0	2.00	1.6	230	4.8	690
10.3015.063	2.1/2"	- 63	63,0	2.50	1.6	230	4.8	690

### EPDM lining fire hose - RED COVER - 10.3015.---R

<b>Inner lining:</b>	EPDM
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twised, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	FIRE HOSE couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3015.040R	1.1/2"	- 40	40,0	1.50	1.6	230	4.8	690
10.3015.050R	2"	- 50	50,0	2.00	1.6	230	4.8	690
10.3015.063R	2.1/2"	- 63	63,0	2.50	1.6	230	4.8	690

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hoses

## EPDM FIRE HOSE 2.0MPa - 10.3016.---

### EPDM lining fire hose - NATURAL WHITE COVER



<b>Inner lining:</b>	EPDM
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, NATURAL WHITE
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3016.040	1.1/2"	- 40	40,0	1.50	2.0	290	6.0	870
10.3016.050	2"	- 50	50,0	2.00	2.0	290	6.0	870
10.3016.063	2.1/2"	- 63	63,0	2.50	2.0	290	6.0	870

### EPDM lining fire hose - RED COVER - 10.3016.---R

<b>Inner lining:</b>	EPDM
<b>Jacket:</b>	100% polyester high tenacity yarn, circular woven, warp thread 2-ply twisted, twill weave or flat wave
<b>External:</b>	uncoated, RED
<b>Safety factor:</b>	3: 1
<b>Application:</b>	shipboard, industrial fire brigades, refineries, construction sites
<b>Standard lengths:</b>	15m, 20m, 30m, 40m and other length available
<b>Couplings:</b>	<b>FIRE HOSE</b> couplings

part number	Ø nom.	nominal diameter	Ø internal		working pressure		min. burst pressure	
			mm	inch	MPa	PSI	MPa	PSI
10.3016.040R	1.1/2"	- 40	40,0	1.50	2.0	290	6.0	870
10.3016.050R	2"	- 50	50,0	2.00	2.0	290	6.0	870
10.3016.063R	2.1/2"	- 63	63,0	2.50	2.0	290	6.0	870

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hose Couplings

## ALUMINIUM STORZ COUPLING

### STORZ FIRE HOSE FEMALE - BSP THREAD - 44.S100.---AL



part number	size	description
44.S100.150AL	1.1/2"	ALUMINIUM STORZ FIRE FEMALE 1.1/2" BSP THREAD
44.S100.200AL	2"	ALUMINIUM STORZ FIRE FEMALE 2" BSP THREAD
44.S100.250AL	2.1/2"	ALUMINIUM STORZ FIRE FEMALE 2.1/2" BSP THREAD
44.S100.300AL	3"	ALUMINIUM STORZ FIRE FEMALE 3" BSP THREAD
44.S100.400AL	4"	ALUMINIUM STORZ FIRE FEMALE 4" BSP THREAD

## BRASS STORZ COUPLING

### STORZ FIRE HOSE FEMALE - BSP THREAD - 44.S100.---BR

part number	size	description
44.S100.150BR	1.1/2"	BRASS STORZ FIRE FEMALE 1.1/2" BSP THREAD
44.S100.200BR	2"	BRASS STORZ FIRE FEMALE 2" BSP THREAD
44.S100.250BR	2.1/2"	BRASS STORZ FIRE FEMALE 2.1/2" BSP THREAD
44.S100.300BR	3"	BRASS STORZ FIRE FEMALE 3" BSP THREAD
44.S100.400BR	4"	BRASS STORZ FIRE FEMALE 4" BSP THREAD

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hose Couplings

## ALUMINIUM STORZ COUPLING

### STORZ FIRE HOSE TAIL - 44.S000.---AL



part number	size	description
44.S000.150AL	1.1/2"	ALUMINIUM STORZ FIRE HOSE TAIL 1.1/2"
44.S000.200AL	2"	ALUMINIUM STORZ FIRE HOSE TAIL 2"
44.S000.250AL	2.1/2"	ALUMINIUM STORZ FIRE HOSE TAIL 2.1/2"
44.S000.300AL	3"	ALUMINIUM STORZ FIRE HOSE TAIL 3"
44.S000.400AL	4"	ALUMINIUM STORZ FIRE HOSE TAIL 4"

## BRASS STORZ COUPLING

### STORZ FIRE HOSE TAIL - 44.S000.---BR

part number	size	description
44.S000.150BR	1.1/2"	BRASS STORZ FIRE HOSE TAIL 1.1/2"
44.S000.200BR	2"	BRASS STORZ FIRE HOSE TAIL 2"
44.S000.250BR	2.1/2"	BRASS STORZ FIRE HOSE TAIL 2.1/2"
44.S000.300BR	3"	BRASS STORZ FIRE HOSE TAIL 3"
44.S000.400BR	4"	BRASS STORZ FIRE HOSE TAIL 4"

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hose Couplings

## ALUMINIUM STORZ COUPLING

### STORZ FIRE HOSE MALE - BSP THREAD - 44.S200.---AL



part number	size	description
44.S200.150AL	1.1/2"	ALUMINIUM STORZ FIRE MALE 1.1/2" BSP THREAD
44.S200.200AL	2"	ALUMINIUM STORZ FIRE MALE 2" BSP THREAD
44.S200.250AL	2.1/2"	ALUMINIUM STORZ FIRE MALE 2.1/2" BSP THREAD
44.S200.300AL	3"	ALUMINIUM STORZ FIRE MALE 3" BSP THREAD
44.S200.400AL	4"	ALUMINIUM STORZ FIRE MALE 4" BSP THREAD

## BRASS STORZ COUPLING

### STORZ FIRE HOSE MALE - BSP THREAD - 44.S200.---BR

part number	size	description
44.S200.150BR	1.1/2"	BRASS STORZ FIRE MALE 1.1/2" BSP THREAD
44.S200.200BR	2"	BRASS STORZ FIRE MALE 2" BSP THREAD
44.S200.250BR	2.1/2"	BRASS STORZ FIRE MALE 2.1/2" BSP THREAD
44.S200.300BR	3"	BRASS STORZ FIRE MALE 3" BSP THREAD
44.S200.400BR	4"	BRASS STORZ FIRE MALE 4" BSP THREAD

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hose Couplings

## ALUMINIUM STORZ COUPLING

### STORZ FIRE HOSE BLANKING CAP - WITH CHAIN - 44.S300.---AL



part number	size	description
44.S300.150AL	1.1/2"	ALUMINIUM STORZ BLANKING CAP 1.1/2" WITH CHAIN
44.S300.200AL	2"	ALUMINIUM STORZ BLANKING CAP 2" WITH CHAIN
44.S300.250AL	2.1/2"	ALUMINIUM STORZ BLANKING CAP 2.1/2" WITH CHAIN
44.S300.300AL	3"	ALUMINIUM STORZ BLANKING CAP 3" WITH CHAIN
44.S300.400AL	4"	ALUMINIUM STORZ BLANKING CAP 4" WITH CHAIN

## BRASS STORZ COUPLING

### STORZ FIRE HOSE BLANKING CAP - WITH CHAIN - 44.S300.---BR

part number	size	description
44.S300.150BR	1.1/2"	BRASS STORZ BLANKING CAP 1.1/2" WITH CHAIN
44.S300.200BR	2"	BRASS STORZ BLANKING CAP 2" WITH CHAIN
44.S300.250BR	2.1/2"	BRASS STORZ BLANKING CAP 2.1/2" WITH CHAIN
44.S300.300BR	3"	BRASS STORZ BLANKING CAP 3" WITH CHAIN
44.S300.400BR	4"	BRASS STORZ BLANKING CAP 4" WITH CHAIN

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.



# Fire Hose Couplings

## ALUMINIUM NST COUPLING

### NST FIRE HOSE COUPLING - SINGLE LAYER - 44.NST0.---AL



part number	size	description
44.NST0.150AL	1.1/2"	ALUMINIUM NST 1.1/2" COUPLING - SINLE LAYER
44.NST0.250AL	2.1/2"	ALUMINIUM NST 2.1/2" COUPLING - SINLE LAYER

## BRASS NST COUPLING

### NST FIRE HOSE COUPLING - SINGLE LAYER - 44.NST0.---BR



part number	size	description
44.NST0.150BR	1.1/2"	BRASS NST 1.1/2" COUPLING - SINLE LAYER
44.NST0.250BR	2.1/2"	BRASS NST 2.1/2" COUPLING - SINLE LAYER

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.

# Fire Hose Couplings

## PITON SHUT-OFF NOZZLE - 44.PSON.---



part number	size	description
44.PSON.150	1.1/2"	PITON SHUT-OFF NOZZLE 1.1/2"
44.PSON.200	2"	PITON SHUT-OFF NOZZLE 2"
44.PSON.250	2.1/2"	PITON SHUT-OFF NOZZLE 2.1/2"
44.PSON.300	3"	PITON SHUT-OFF NOZZLE 3"

**Construction characteristics and dimensions may be changed at any time without prior notice.**

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.

